

Application Helicopter Maintenance

The Problem:

Helicopter Maintenance is a priority and the highest standards of quality assured helicopter maintenance are crucial to keeping you flying. Safe access to rotor blades and gearboxes is essential.

The Solution:



LOBO Systems' safe and secure platform product. The unique and patented clamp allows the system to be assembled without the use of tools into any size or shape. Aircraft maintenance engineers can reconfigure the system, adapting it from one aircraft to another with ease.

By fitting a wheel kit, the system can be transported throughout the facility. The system can be assembled, disassembled and reassembled quickly. It is easy to flat pack and is secure and portable in a Towerstore.

www.lobosystems.com

Conformities

EU: BS EN1004:2004 BS 1139 parts 3 & 4,
USA: Complies to OSHA CFR 29 1926 450-454 & sub part L & codified under 29 CFR 1910.27(a).
Canada: CSA Z797-09 and 269.2 (M87 and -16)
Australia: AS/NZS 1576.1:2010 and AS/NZS 1576.3:2015 Tower



The LOBO Advanced Platform is the solution

The system is made from modular steel components, which are easy and quick to assemble



and provide a rock steady, safe incredibly strong working platform.

Areas previously awkward to get to can now be accessed by your engineers or technicians with ease, whenever required.

The LOBO System comprises trestle legs that vary in size and adjustable extensions with fixed side clamps. Steel tubes can then be passed through the clamps, which are hand tightened to form a structure to suit the application. Sway braces, toe boards, wheels, guardrails, outriggers and a lifting slider beam can be added to enhance the construction.

The LOBO System is scalable, adaptable and adjustable to meet your ongoing and changing

requirements. Simply add more components or alter your existing configuration to satisfy the demands of the next task. Protect your initial investment with a product that will meet all your access needs safely!

The Benefits:

Its transportability means it can be used anywhere in the world and erected by anyone. This means aviation mechanics can erect the system to their exact requirements thus saving on labour costs and expensive fixed aluminium systems. The LOBO System creates a safe working environment, which increases productivity and maximizes the return on investment.

www.lobosystems.com

Conformities

EU: BS EN1004:2004 BS 1139 parts 3 & 4,

USA: Complies to OSHA CFR 29 1926 450-454 & sub part L & codified under 29 CFR 1910.27(a).

Canada: CSA Z797-09 and 269.2 (M87 and -16)

Australia: AS/NZS 1576.1:2010 and AS/NZS 1576.3:2015 Tower





Optional extras include a tool tray and a gate that can be fitted to the system. And it can be stored in a LOBO Towerstore unit when not in use.

LOBO is a rigid and stable product, which meets or exceeds international safety regulations.

All LOBO customers are provided with LOBO Systems certified training for safe assembly, inspection and use.

www.lobosystems.com

Conformities

EU: BS EN1004:2004 BS 1139 parts 3 & 4,
USA: Complies to OSHA CFR 29 1926 450-454 & sub part L & codified under 29 CFR 1910.27(a).
Canada: CSA Z797-09 and 269.2 (M87 and -16)
Australia: AS/NZS 1576.1:2010 and AS/NZS 1576.3:2015 Tower

