


Application – On Ship Maintenance

Awkward & Restricted Access

On ship maintenance tasks present many challenges which require solutions. By their very nature ships have little spare storage capacity & many of the areas requiring maintenance are awkward to access.

Customer Visualisation



Other considerations include making sure maintenance crews have the capability to react quickly to problems with the right equipment, & to reduce the overall ship downtime. This can be accomplished by increasing the amount of pro-active maintenance, crews will discover problems before they become major, expensive or health-damaging events.

www.lobosystems.com

Conformities

EU: BS EN1004:2004 BS 1139 parts 3 & 4,
USA: Complies to OSHA CFR 29 1926 450-454 & sub part L & codified under 29 CFR 1910.27(a).
Canada: CSA Z797-09 and 269.2 (M87 and -16)
Australia: AS/NZS 1576.1:2010 and AS/NZS 1576.3:2015 Tower




LOBO[®]

advanced platform system

LOBO Systems have developed an advanced platform system that has several directly attributable benefits to the shipping industry.

LOBO Realisation



The **LOBO System** is a versatile work platform product that combines the flexibility and strength of traditional scaffolding with the simplicity and mobility of an aluminium tower. It can be made safely into any shape or size, without the need for any tools & is extremely versatile, therefore fitting into extremely awkward to access areas. The product flat packs which makes it easy to store & utilize ship-wide. It's easy & quick to erect, versatile & strong.

www.lobosystems.com

Conformities

EU: BS EN1004:2004 BS 1139 parts 3 & 4,

USA: Complies to OSHA CFR 29 1926 450-454 & sub part L & codified under 29 CFR 1910.27(a).

Canada: CSA Z797-09 and 269.2 (M87 and -16)

Australia: AS/NZS 1576.1:2010 and AS/NZS 1576.3:2015 Tower



This simple system can be assembled by anyone, as the components are modular & full training is provided to ensure competency & safety.

The ship maintenance crew can assemble the LOBO System quickly, easily & safely around, under or above stairs, pipes, plant rooms & specifically in awkward to get to areas.



This means out-sourced scaffolding labour costs can be reduced without comprising safety. Areas previously considered difficult to get to can now be accessed with ease for maintenance & cleaning purposes.

www.lobosystems.com

Conformities

EU: BS EN1004:2004 BS 1139 parts 3 & 4,

USA: Complies to OSHA CFR 29 1926 450-454 & sub part L & codified under 29 CFR 1910.27(a).

Canada: CSA Z797-09 and 269.2 (M87 and -16)

Australia: AS/NZS 1576.1:2010 and AS/NZS 1576.3:2015 Tower

