

## Case Study – Walmart Facilities Maintenance

Retail companies expect comprehensive and inclusive shop maintenance services, even when their shops are open. Regular service appointments and routine maintenance, with a clearly defined range of services, ensure your shop stays open and running without any problems.

Maintenance areas, where typically, standard working at height equipment cannot fit are a problem. Safety management begins with an organisation ensuring that employees have fit for purpose, work at height safety equipment, on which they have been trained to assemble, inspect and use safely. This saves time and money and keeps your engineers safe.

Current aluminium scaffolding products cannot be reconfigured to fit awkward areas such as stairways. In addition, tube and clamp scaffolding are heavy and time-consuming to construct.

The LOBO System can offer a solution to these problems. As it is quick to assemble, significant reductions in labour costs can be achieved.



Real-time overnight maintenance issues exist as time constraints increase labour costs, with safety being a key component. The strategic use of the LOBO System to gain rapid access for working at height issues may alleviate these issues.

The key to efficient running, smooth operation and safety is maintaining the property and associated plant rooms correctly.

The LOBO System can be configured to create a safe work platform.

The photos show the rapid assembly time of a 20-minute system and this, coupled with the no tools to erect feature, means a lower labour cost and a safer working environment.

[www.lobosystems.com](http://www.lobosystems.com)

### Conformities

EU: BS EN1004:2004 BS 1139 parts 3 & 4,  
USA: Complies to OSHA CFR 29 1926 450-454 & sub part L & codified under 29 CFR 1910.27(a).  
Canada: CSA Z797-09 and 269.2 (M87 and -16)  
Australia: AS/NZS 1576.1:2010 and AS/NZS 1576.3:2015 Tower

## The Solution



The LOBO System can be assembled quickly, easily and safely around, above desks or restricted access areas, without the need for tools, by your in-house maintenance crew. This means outsourced scaffolding labour costs can be reduced without compromising safety. In addition, areas previously considered difficult to get to can now be accessed with ease for maintenance and cleaning purposes. In addition, it is available 24/7 and so puts you in control of what and when you schedule your maintenance tasks.

The LOBO System can be configured into unlimited shapes and sizes to suit almost all awkward access situations and packs away for easy storage or transportation to the next work area.

## Product Benefits

LOBO is scalable, adaptable and adjustable to meet your ongoing and changing requirements. Add more components or alter your existing configuration to satisfy the demands of the next task. Protect your initial investment with a product that will meet all your access needs safely.

LOBO is a rigid and stable product, which meets or exceeds current safety regulations. Guardrails can be fitted in seconds at any point during the assembly process.

LOBO's steel modular components ensure many years of product life cycle and a system that will not shake or rattle. The system also includes anti-sway braces and outriggers for total rigidity on taller systems.

LOBO's modular approach means components fully integrate and can be hand-carried. Fully constructed systems can also be made mobile by the addition of wheels.

[www.lobosystems.com](http://www.lobosystems.com)

### Conformities

EU: BS EN1004:2004 BS 1139 parts 3 & 4,  
USA: Complies to OSHA CFR 29 1926 450-454 & sub part L & codified under 29 CFR 1910.27(a).  
Canada: CSA Z797-09 and 269.2 (M87 and -16)  
Australia: AS/NZS 1576.1:2010 and AS/NZS 1576.3:2015 Tower

## Cost Benefits

Experience shows that deploying the LOBO system reduces the costs associated with hiring scaffolding and constructing bespoke access systems. By reducing your reliance on outsourced scaffolding and engineering companies, cost savings will be achieved – easily in 12 months.

## LOBO Towerstore

The Towerstore offers security on or off-site. In addition, the Towerstore provides a secure and yet simple way to store your LOBO components, which also makes managing all the components parts that much more straightforward.

It is explicitly designed for LOBO's advanced work platform system, and it is fitted with feet for an easy pallet truck or forklift manoeuvrability. Also, it can be locked with a padlock for security or storage. The Towerstore can be vertically or horizontally mounted to suit the workshop or transported for rapid deployment, on and off-site.



With this quantifiable reduction in costs comes the added savings associated with reduced downtime and greater productivity from your maintenance department.

Available 24/7, quick to erect – and above all safe – it is immediately adjustable for your next job with no staff waiting time while new fixed-frame structures are built.

Re-configurable, again and again, this product comes with minimal replacement and ongoing training costs.

[www.lobosystems.com](http://www.lobosystems.com)

### Conformities

EU: BS EN1004:2004 BS 1139 parts 3 & 4,  
 USA: Complies to OSHA CFR 29 1926 450-454 & sub part L & codified under 29 CFR 1910.27(a).  
 Canada: CSA Z797-09 and 269.2 (M87 and -16)  
 Australia: AS/NZS 1576.1:2010 and AS/NZS 1576.3:2015 Tower

