

Application – Automated Distribution and Logistics

Key Problems

Warehouse logistics and material handling system solutions require planned and reactive maintenance programs, often in elevated areas.

The movement of goods in a distribution or manufacturing operation requires sophisticated automation systems. The higher the volume of movement, the greater level of complexity required.

Material flow solutions, using pallet or case conveyors, AGVs and monorails, are highly effective for moving goods between work areas. They offer real-time tracking of goods and added value tasks such as wrapping, weighing and sorting goods.

Maintenance is vital to an efficient process; many areas are awkward and, therefore, difficult to reach, each task often being different from the last. Working at height must be accomplished safely, and traditionally outsourced scaffolding companies and fixed aluminium tower systems have been deployed. However, outsourced scaffolding labour is expensive and unavailable 24/7; aluminium frame systems are cumbersome, inflexible, difficult to transport and will not adjust to fit into awkward areas.



The Solution

Using a LOBO System solution can dramatically improve logistics system operation by reducing scaffolding labour costs, improving service levels and increasing operator productivity.

www.lobosystems.com

Conformities

EU: BS EN1004-1:2020 & EU: BS EN1004-2:2021 (BS 1139)

USA: OSHA CFR 29 1926 450-454 & subpart L & codified under 29 CFR 1910.27(a).

Canada: CSA Z797-18 and 269.2 -M87

Australia: AS/NZS 1576.1:2010 and AS/NZS 1576.3:2015 Tower

ISO 9001 : 2015
CERTIFIED 213858




Your in-house maintenance crew can assemble the LOBO System quickly, easily, safely around, through or above conveyors and restricted access areas. This means outsourced scaffolding labour costs can be reduced without compromising safety. Areas previously considered difficult to access can now be easily accessed for maintenance and cleaning purposes. In addition, it is available 24/7, therefore, putting you in control of what and when you schedule your maintenance tasks.

Product Benefits

a) LOBO is scalable, adaptable and adjustable to meet your ongoing and changing requirements. Add more components or alter your existing configuration to satisfy the demands of the next task. Protect your initial investment with a product that will safely meet all your access needs.

b) LOBO is a rigid and stable product which meets or exceeds current safety regulations. Guardrails can be fitted in seconds at any point in the erection process.

c) LOBO's steel structure ensures many years of product life cycle and a system that will not shake or rattle. The system also includes a slider lifting beam kit and a Towerstore storage unit.



Knapp Installation

d) LOBO's modular approach means components are fully integrated and can be hand-carried. Fully constructed systems can also be made mobile by adding wheels & can be upgraded to be permanent.

Cost Benefits

Experience shows that deploying the LOBO system reduces the costs of hiring scaffolding and constructing bespoke access systems. By reducing your reliance on outsourced scaffolding and engineering companies, cost savings will be achieved – easily in 12 months.

www.lobosystems.com

Conformities

EU: BS EN1004-1:2020 & EU: BS EN1004-2:2021 (BS 1139)

USA: OSHA CFR 29 1926 450-454 & subpart L & codified under 29 CFR 1910.27(a).

Canada: CSA Z797-18 and 269.2 -M87

Australia: AS/NZS 1576.1:2010 and AS/NZS 1576.3:2015 Tower


ISO 9001 : 2015
CERTIFIED 213858



With this quantifiable reduction in costs comes the added savings associated with reduced downtime and greater productivity from your maintenance department

Available 24/7, quick to erect – and above all, safe – it is immediately adjustable for your next job with no staff waiting time while new fixed-frame structures are built.

Re-configurable, again and again, this product comes with no disposal costs and minimal replacement and ongoing training costs.



Amazon Installation



DHL Installation

www.lobosystems.com

Conformities

EU: BS EN1004-1:2020 & EU: BS EN1004-2:2021 (BS 1139)

USA: OSHA CFR 29 1926 450-454 & subpart L & codified under 29 CFR 1910.27(a).

Canada: CSA Z797-18 and 269.2 -M87

Australia: AS/NZS 1576.1:2010 and AS/NZS 1576.3:2015 Tower

ISO 9001 : 2015
CERTIFIED 213858