

Application - Construction Plant Maintenance

Construction plant is used in landscaping, agriculture, construction, waste management, forestry and mining applications. Deploying a wheel loader, backhoe, loading shovel, or excavator makes your material handling and loading jobs safer, faster, more precise and more profitable.

The Problem

Safe working at height platform is necessary for workshop and field-based maintenance repairs. Maintenance tasks are a high priority, for example, servicing, which includes regular inspections of engines, gearboxes and hydraulics, identifying faults and repairing or replacing faulty parts and carrying out routine servicing of plant and equipment.

The Solution

The LOBO Advanced Platform System is a perfect working-at-height product that offers the solution and provides a safe, sturdy and quick-to-assemble system around, under and over any construction plant machinery.

The LOBO System is a versatile work platform product that combines the flexibility and strength of traditional scaffolding with the simplicity and mobility of tower systems. This combination provides the ultimate access system that can be utilised across all maintenance industries without requiring assembly tools.

The system is advantageous if you have awkward and restricted areas to reach.



LOBO can be easily configured to fit all the major manufacturers, including JCB, Caterpillar, Case, Hitachi, John Deere, Hyundai, Kawasaki, Manitou, Volvo and many more.

The LOBO System can be transported from the site and quickly assembled from a flat pack into any required configuration by your vehicle mechanics.

www.lobosystems.com

Conformities

EU: BS EN1004-1:2020 & EU: BS EN1004-2:2021 (BS 1139)

USA: OSHA CFR 29 1926 450-454 & subpart L & codified under 29 CFR 1910.27(a).

Canada: CSA Z797-18 and 269.2 -M87

Australia: AS/NZS 1576.1:2010 and AS/NZS 1576.3:2015 Tower

ISO 9001 : 2015
CERTIFIED 213858

Product Benefits

- a) LOBO is scalable, adaptable and adjustable to meet your ongoing and changing requirements. Add more components or alter your existing configuration to satisfy the demands of the next task. Protect your initial investment with a product that will safely meet all your access needs!
- b) LOBO is a rigid and stable product which meets or exceeds current safety regulations. Guardrails can be fitted in seconds at any point in the erection process.
- c) LOBO's steel structure ensures many years of product life cycle and a system that will not shake or rattle. The system also includes a slider lifting beam kit and a Towerstore storage unit.
- d) LOBO's modular approach means components are fully integrated and light enough to be hand-carried. Entirely constructed systems can also be made mobile by the addition of wheels.



Cost Benefits

Experience shows that deploying the LOBO System reduces the costs of hiring scaffolding and constructing bespoke access systems. By reducing your reliance on outsourced scaffolding and engineering companies, cost savings will be achieved – easily in 12 months. With this quantifiable cost reduction comes the added savings associated with reduced downtime and greater productivity from your maintenance department.

www.lobosystems.com

Conformities

EU: BS EN1004-1:2020 & EU: BS EN1004-2:2021 (BS 1139)

USA: OSHA CFR 29 1926 450-454 & subpart L & codified under 29 CFR 1910.27(a).

Canada: CSA Z797-18 and 269.2 -M87

Australia: AS/NZS 1576.1:2010 and AS/NZS 1576.3:2015 Tower

ISO 9001 : 2015
CERTIFIED 213858

Available 24/7, quick to erect – and above all, safe – it is immediately adjustable for your next job with no staff waiting time while scaffolders are engaged, or new fixed-frame structures are manufactured.

Re-configurable, again and again, this product comes with no disposal costs and minimal replacement and ongoing training costs.

20-minute assembly time



www.lobosystems.com

Conformities

EU: BS EN1004-1:2020 & EU: BS EN1004-2:2021 (BS 1139)

USA: OSHA CFR 29 1926 450-454 & subpart L & codified under 29 CFR 1910.27(a).

Canada: CSA Z797-18 and 269.2 -M87

Australia: AS/NZS 1576.1:2010 and AS/NZS 1576.3:2015 Tower

ISO 9001 : 2015
CERTIFIED 213858