

Application Helicopter Maintenance

The Problem:

Helicopter Maintenance is a priority, and the highest quality assured helicopter maintenance standards are crucial to keeping you flying. In addition, safe access to rotor blades and gearboxes is essential.

The Solution:



LOBO Systems' safe and secure platform product. The unique and patented clamp allows the system to be assembled without using tools of any size or shape. Aircraft maintenance engineers can quickly reconfigure the system, adapting it from one aircraft to another. The system can be transported throughout the facility by fitting a wheel kit. The system can be assembled, disassembled and reassembled quickly. It is easy to flat pack and is secure and portable in a Towerstore.

www.lobosystems.com

Conformities

EU: BS EN1004-1:2020 & EU: BS EN1004-2:2021 (BS 1139)

USA: OSHA CFR 29 1926 450-454 & subpart L & codified under 29 CFR 1910.27(a).

Canada: CSA Z797-18 and 269.2 -M87

Australia: AS/NZS 1576.1:2010 and AS/NZS 1576.3:2015 Tower

ISO 9001 : 2015
CERTIFIED 213858

The LOBO Advanced Platform is the solution

The system is made from modular steel components, which are easy and quick to assemble



and provide a rock-solid, safe, solid working platform. Areas previously awkward to access can now be accessed by your engineers or technicians quickly, whenever required.

The LOBO System comprises trestle legs that vary in size and adjustable extensions with fixed side clamps. Steel tubes can then be passed through the clamps, which are hand tightened to form a structure to suit the application. In addition, sway braces, toe boards, wheels, guardrails, outriggers, and a lifting slider beam can be added to enhance the construction.

The LOBO System is scalable, adaptable and adjustable to meet your ongoing and changing requirements. Add more

components or alter your existing configuration to satisfy the demands of the next task. Protect your initial investment with a product that will safely meet all your access needs!

The Benefits:

Its transportability means it can be used anywhere worldwide and erected by anyone. This means aviation mechanics can erect the system to their exact requirements, thus saving on labour costs and expensive fixed aluminium systems. In addition, the LOBO System creates a safe working environment, which increases productivity and maximizes the return on investment.

www.lobosystems.com

Conformities

EU: BS EN1004-1:2020 & EU: BS EN1004-2:2021 (BS 1139)

USA: OSHA CFR 29 1926 450-454 & subpart L & codified under 29 CFR 1910.27(a).

Canada: CSA Z797-18 and 269.2 -M87

Australia: AS/NZS 1576.1:2010 and AS/NZS 1576.3:2015 Tower

ISO 9001 : 2015
CERTIFIED 213858



Optional extras include a tool tray and a gate that can be fitted to the system. And it can be stored in a LOBO Towerstore unit when not used.

LOBO is a rigid and stable product which meets or exceeds international safety regulations.

All LOBO customers are provided with LOBO Systems-certified training for safe assembly, inspection and use.

www.lobosystems.com

Conformities

EU: BS EN1004-1:2020 & EU: BS EN1004-2:2021 (BS 1139)

USA: OSHA CFR 29 1926 450-454 & subpart L & codified under 29 CFR 1910.27(a).

Canada: CSA Z797-18 and 269.2 -M87

Australia: AS/NZS 1576.1:2010 and AS/NZS 1576.3:2015 Tower

ISO 9001 : 2015
CERTIFIED 213858